

# PDFVCE



Choose the version that fits your needs	PDF Version	Desktop Test Engine	Online Test Engine
Latest and Up-to-Date exam dumps with real exam questions answers.	✓	✓	✓
Get 12-Months free updates without any extra charges.	✓	✓	✓
Experience same exam environment before appearing in the certification exam.	✗	✓	✓
100% exam passing guarantee in the first attempt.	✓	✓	✓
20% discount on more than one license and 30% discount on 5+ license purchases.	✗	✓	✓
100% secure purchase on SSL.	✓	✓	✓
Completely private purchase without sharing your personal info with anyone.	✓	✓	✓

<http://www.pdfvce.com>

Highly Efficiently Exam Tool and Effective Exam Practice Materials

**Exam** : **1z0-1042**

**Title** : Oracle Cloud Platform  
Application Integration 2019  
Associate

**Vendor** : Oracle

**Version** : DEMO

**NO.1** Which setting is used for a system that is hosting a web application to be allowed to access Oracle Internet of Things (IoT) Cloud Service resources?

- A. OAuth Access Token Lifetime
- B. Management Console Timeout Interval
- C. Message Storage and Command Notification
- D. Cross-Origin Resource Sharing (CORS)

**Answer:** D

Explanation

The cross origin resource sharing setting specifies if the system that is hosting a web application is allowed to access Oracle IoT Cloud Service resources. The assumption is that the web application is running in a browser that is also implementing the CORS specification. Any browser based JavaScript client running on the specified host can access Oracle IoT REST APIs. However they will need to follow the Oracle IoT REST API authorization process to run any operations.

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotsu/setting-cross-origin-resource-sharing-value.html>

**NO.2** What are two key benefits of Oracle Web Service Manager (OWSM) in the management and security of Web services across the organization?

- A. Developers no longer need to understand security specifications and security implementation details.
- B. OWSM provide a framework that is externalized and declarative outside of the web service implementation.
- C. Security is controlled by the developer of the service and this gives greater control to the development of the service.
- D. OAuth services are used for REST based services.

**Answer:** A,B

Explanation

<https://docs.oracle.com/middleware/1212/owsm/OWSMC/owsm-intro.htm#OWSMC110>

**NO.3** You provision an Oracle SOA Cloud Service instance and specify a compute shape so that the JVM heap size for WebLogic Serve, and Load Balancer processes are determined automatically. Which statement is correct after provisioning the instance in this scenario?

- A. You can change the heap size by using the Weblogic Server Administration Console.
- B. You can change the heap size to a maximum of 32GB.
- C. You cannot change the heap size once the Service Instance is provisioned.
- D. You can change the heap size by logging a Oracle Cloud Support Service Request.

**Answer:** A

**NO.4** Which two are On-prem Connectivity Options with Oracle Integration Cloud (OIC)?

- A. PaaS Agent
- B. VPN
- C. Connectivity Agent
- D. Execution Agent

**Answer:** A,C

Explanation

<https://blogs.oracle.com/soaproactive/announcing-oracle-integration-cloud-oic>

**NO.5** Which expression can you use to schedule integration runs?

- A. a JavaScript
- B. a XPATH
- C. an iCal
- D. a XSLT

**Answer:** C

Explanation

[https://docs.oracle.com/cloud/previous/intcs\\_gs/ICSUG/GUID-622B74FE-D9EC-4A62-8DF1-1E96912C8FB8.h](https://docs.oracle.com/cloud/previous/intcs_gs/ICSUG/GUID-622B74FE-D9EC-4A62-8DF1-1E96912C8FB8.h)

**NO.6** You receive a status code: 502 Proxy Error.

Which is a possible event cause for this error?

- A. while registering a large number of devices using the Batch Registration feature under the Devices menu
- B. while adding proxy for an enterprise application device
- C. when the proxy setup is incorrect
- D. while the proxy server is not responding to the request

**Answer:** A

Explanation

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/troubleshooting-management-console-issues.html>

**NO.7** Which two are NOT default start and end events in Process Cloud Service?

- A. Folder start and None end event
- B. None start and end event
- C. SOAP start and SOAP end event
- D. Task start and end event

**Answer:** C,D

Explanation

<https://docs.oracle.com/en/cloud/paas/process-cloud/user/defining-process-start-and-end.html#GUID-E3E20D7C>

**NO.8** Which role is needed for managing users from Oracle Internet of Things (IoT) Cloud Service?

- A. System Administrator
- B. lotOperatorsGroup
- C. lotUsersGroup
- D. TotAdministratorsGroup

**Answer:** A