

PDFVCE



Choose the version that fits your needs	PDF Version	Desktop Test Engine	Online Test Engine
Latest and Up-to-Date exam dumps with real exam questions answers.	✓	✓	✓
Get 12-Months free updates without any extra charges.	✓	✓	✓
Experience same exam environment before appearing in the certification exam.	✗	✓	✓
100% exam passing guarantee in the first attempt.	✓	✓	✓
20% discount on more than one license and 30% discount on 5+ license purchases.	✗	✓	✓
100% secure purchase on SSL.	✓	✓	✓
Completely private purchase without sharing your personal info with anyone.	✓	✓	✓

<http://www.pdfvce.com>

Highly Efficiently Exam Tool and Effective Exam Practice Materials

Exam : 510-308

Title : Sybase powerbuilder professional
9.0

Vendors : Sybase

Version : DEMO

NO.1 The default events for a Custom Class user object are:

- A. activate and deactivate
- B. constructor and destructor
- C. open and close
- D. idle and systemerror

Answer: B

NO.2 What statements are TRUE for menus in an MDI? (Choose 2)

- A. A menu associated with a frame can also be used by sheets.
- B. Sheets that appear within a frame can have their own menus.
- C. A menu associated with a frame cannot use the ParentWindow pronoun.
- D. A menu cannot be dynamically assigned to a sheet.

Answer: AB

NO.3 Which of the following is NOT an event of the custom class user object created by the EAServer

Component Wizard?

- A. activate
- B. constructor
- C. canbepooled
- D. deactivate

Answer: C

NO.4 How can you generate HTML from a DataWindow? Stringls_htmlldoc

- A. ls_htmlldoc = dw_control.object.DataWindow.HTMLGen.Browser
- B. ls_htmlldoc = dw_control.object.DataWindow.HTMLDW
- C. ls_htmlldoc = dw_control.object.DataWindow.HTML
- D. ls_htmlldoc = dw_control.object.DataWindow.Data.HTML

Answer: D

NO.5 Calling the DataWindow controls AcceptText() method (Choose 3)

- A. from a GetFocus event may cause an infinite loop.
- B. may trigger an ItemChanged event.
- C. from a LoseFocus event may cause an infinite loop.
- D. may trigger an ItemError event.

Answer: BCD

NO.6 After executing the following script for DataWindow control dw_1, which row in dw_1 is

the current row?

```
dw_1.SelectRow(99, FALSE) dw_1.ScrollToRow(20) dw_1.SelectRow(21, TRUE)
```

- A. 99
- B. 20
- C. 21
- D. No row is current

Answer: B

NO.7 Choose the CORRECT

Answer in relation to PowerBuilder support for XML?

- A. Available for both DataWindows and DataStores
- B. Available for DataWindows only
- C. Available for DataStores only
- D. DataWindows only support export as XML

Answer: A

This document was created with Win2PDF available at <http://www.win2pdf.com>.

The unregistered version of Win2PDF is for evaluation or non-commercial use only.

This page will not be added after purchasing Win2PDF.

NO.8 After inserting or modifying rows in a grouped DataWindow, what functions should be called to ensure proper display?

- A. SetSort() then Sort()
- B. Sort() then GroupCalc()
- C. FindCategory() then RowsMove()
- D. GetChanges() then Move()
- E. Reset() then Move()

Answer: B

NO.9 Select the CORRECT Update statement that will perform an AcceptText() and keep the update flags on

a DataWindow Control, dw_1.

- A. dw_1.update (TRUE, TRUE)
- B. dw_1.update (TRUE, FALSE)
- C. dw_1.update (FALSE, TRUE)
- D. dw_1.update (FALSE, FALSE)

Answer: B

NO.10 Which of the following identifies the PowerScript code to access a block of data specified by rows and columns? Any la_data

- A. la_data = dw_1.object.column_one[1,1,3,4]
- B. la_data = dw_1.data[1,1,3,4]
- C. la_data = dw_1.object.data[1,1,3,4]
- D. la_data = dw_1.object.column_one.primary.current[1,3]

Answer: C

NO.11 A Library List can be set for which of the following items?

- A. Window Painter
- B. Workspace
- C. PowerBuilder Library
- D. Target
- E. Project

Answer: D

NO.12 The CloseQuery Window event:

- A. is executed immediately after the Close Window event.
- B. is executed immediately before the Close Window event.
- C. is NOT executed if the window was closed with the Windows Close box.
- D. returns a value of 1 if the intent is to close the window.

Answer: B

NO.13 Which of the following DataWindow control functions will cause database activity to occur? (Choose 2)

- A. SelectRow()
- B. ReselectRow()
- C. DeleteRow()
- D. SetTransObject()
- E. Update()

Answer: BE

NO.14 The DataWindow Control function SelectRow _____.

- A. highlights or removes highlights for a row and makes it the current row.
- B. allows the user to select one or more rows.
- C. works only with DataWindow controls and not DataStore objects.
- D. allows the user to select one and only one row.

Answer: B

NO.15 Which functions EXIST on the DataStore object? (Choose 3)

- A. SelectRow()
- B. GenerateResultSet()
- C. GetItemFormattedString()
- D. SetRowFocusIndicator()

Answer: ABC

NO.16 By default PowerBuilder provides one global instance of what types of standard class user objects?

(Choose 3)

- A. Message object
- B. Error object
- C. DynamicStagingArea object
- D. Pipeline object
- E. TraceObject object

Answer: ABC

NO.17 How many events does the PowerObject system class have?

- A. 2
- B. 4
- C. 6
- D. 0

Answer: D

NO.18 Which properties of a PB component can be set when deployed from the project painter? (Choose 3)

- A. Component type
- B. Instance pooling
- C. Minimum pooled instances
- D. Maximum pooled instances
- E. Transaction support
- F. Transaction outcome

Answer: ABE

NO.19 Which of the following can be used to search for text across a multi-library PowerBuilder application?

(Choose 2)

- A. Object Browser
- B. Library Painter
- C. Workspace Tab of System Tree
- D. Clip Window

Answer: BC

NO.20 Which are VALID parameter types for OpenSheetWithParm()? (Choose 3)

- A. A numeric value
- B. A string value
- C. Any PowerBuilder object
- D. A date value

Answer: ABC